Zhermack S.p.a		Revision nr. 1 Dated 24/6/2014		
DT40030/ DT40032/ DT40038 - OLIO DI SILICONE 50cps		Printed on 25/06/2014		
		Page n. 1/8		
Safety data sheet				
SECTION 1. Identification of the substance/mixture and of the company/undertaking				
1.1. Product identifier				
Code:	DT40030/ DT40032/ DT40038			
Product name EC number	OLIO DI SILICONE 50cps 613-156-5			
CAS number	63148-62-9			
1.2. Relevant identified uses of the substance Intended use Oil for industria				
1.3. Details of the supplier of the safety data and Name	sheet Zhermack S.p.a			
Full address District and Country	Via Bovazecchino 45021 Badia Polesine (RO) Italy			
	Tel. +39 0425-597611			
	Fax +39 0425-53596			
e-mail address of the competent person				
responsible for the Safety Data Sheet	msds@zhermack.com			
1.4. Emergency telephone number				
For urgent inquiries refer to	CAV Italia: Centro Antiveleni di Milano: 02 661010 24444; Centro Antiveleni di Bergamo: 800 883300 7947819; Centro Antiveleni di Roma: 06 3054343; 49978000; Centro Antiveleni di Napoli: 081 747287	; Centro Antiveleni di Firenze: 055 Centro Antiveleni di Roma: 06		
	Servicio de Información Toxicológica (España): +	34 91 562 04 20 (24h/365 días)		
	Numéro ORFILA (INRS-France): + 33 (0)1 45 42 59	9 59 (24h/ 7 jours sur 7)		
	UK Emergency number: 844 892 0111 (24 hours)			
	Deutschland Notruf: BERLIN Tel.: 030/19240; HOM 0228/19240; MAINZ Tel.: 06131/19240; ERFURT Te 089/19240; FREIBURG Tel.: 0761/19240; NÜRNBE Tel.:0551/19 240	el.: 0361/730 730; MÜNCHEN Tel.:		
SECTION 2. Hazards identificatio	n.			

2.1. Classification of the substance or mixture. The product is not classified as hazardous pursuant to the provisions set forth in EC Regulation 1272/2008 (CLP) (and subsequent amendments and supplements).

2.1.1. Regulation 1272/2008 (CLP) and following amendments and adjustments.

Hazard classification and indication:

2.2. Label elements.

Hazard pictograms:

Zhermack S.p.a		Revision nr. 1 Dated 24/6/2014
DT400	30/ DT40032/ DT40038 - OLIO DI SILICONE 50cps	Printed on 25/06/2014 Page n. 2/8
Signal words:		
Hazard statements:		

Precautionary statements:

This product is not subject to hazard labeling pursuant to EC Regulation 1272/2008 (CLP) and subsequent amendments and supplements.

2.3. Other hazards.

Information not available.

SECTION 3. Composition/information on ingredients.

3.1. Substances.

The product does not contain substances classified as being hazardous to human health or the environment pursuant to the provisions set forth in Directives 67/548/EEC and/or EC Regulation 1272/2008 (CLP) (and subsequent amendments and supplements).

3.2. Mixtures.

Information not relevant.

SECTION 4. First aid measures.

4.1. Description of first aid measures.

No episodes of harm to the staff authorised to use the product have been reported. The following general measures should be adopted as necessary: INHALATION: Remove to open air. If the subject stops breathing, administer artificial respiration. Get medical advice/attention. INGESTION: Get medical advice/attention. Induce vomiting only if indicated by the doctor. Do not give anything by mouth to an unconscious person. EYES and SKIN: Wash with plenty of water. In the event of persistent irritation, get medical advice/attention.

4.2. Most important symptoms and effects, both acute and delayed.

No episodes of damage to health ascribable to the product have been reported.

4.3. Indication of any immediate medical attention and special treatment needed.

Information not available.

SECTION 5. Firefighting measures.

5.1. Extinguishing media.

SUITABLE EXTINGUISHING EQUIPMENT The extinguishing equipment should be of the conventional kind: carbon dioxide, foam, powder and water spray. UNSUITABLE EXTINGUISHING EQUIPMENT Do not use jets of water. Water is not effective for putting out fires but can be used to cool containers exposed to flames to prevent explosions.

5.2. Special hazards arising from the substance or mixture.

HAZARDS CAUSED BY EXPOSURE IN THE EVENT OF FIRE Excess pressure may form in containers exposed to fire at a risk of explosion. Do not breathe combustion products.

Revision nr. 1

DT40030/ DT40032/ DT40038 - OLIO DI SILICONE 50cps

Dated 24/6/2014 Printed on 25/06/2014

Page n. 3/8

5.3. Advice for firefighters.

GENERAL INFORMATION

Use jets of water to cool the containers to prevent product decomposition and the development of substances potentially hazardous for health. Always wear full fire prevention gear. Collect extinguishing water to prevent it from draining into the sewer system. Dispose of contaminated water used for extinction and the remains of the fire according to applicable regulations.

SPECIAL PROTECTIVE EQUIPMENT FOR FIRE-FIGHTERS

Normal fire fighting clothing i.e. fire kit (BS EN 469), gloves (BS EN 659) and boots (HO specification A29 and A30) in combination with self-contained open circuit positive pressure compressed air breathing apparatus (BS EN 137).

SECTION 6. Accidental release measures.

6.1. Personal precautions, protective equipment and emergency procedures.

Block the leakage if there is no hazard.

Wear suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. These indications apply for both processing staff and those involved in emergency procedures.

6.2. Environmental precautions.

The product must not penetrate into the sewer system or come into contact with surface water or ground water.

6.3. Methods and material for containment and cleaning up.

Collect the leaked product into a suitable container. Evaluate the compatibility of the container to be used, by checking section 10. Absorb the remainder with inert absorbent material.

Make sure the leakage site is well aired. Check incompatibility for container material in section 7. Contaminated material should be disposed of in compliance with the provisions set forth in point 13.

6.4. Reference to other sections.

Any information on personal protection and disposal is given in sections 8 and 13.

SECTION 7. Handling and storage.

7.1. Precautions for safe handling.

Keep away from heat, sparks and naked flames; do not smoke or use matches or lighters. Without adequate ventilation, vapours may accumulate at ground level and, if ignited, catch fire even at a distance, with the danger of backfire. Avoid bunching of electrostatic charges. Do not eat, drink or smoke during use. Remove any contaminated clothes and personal protective equipment before entering places in which people eat. Avoid leakage of the product into the environment.

7.2. Conditions for safe storage, including any incompatibilities.

Store only in the original container. Store in a well ventilated place, keep far away from sources of heat, naked flames and sparks and other sources of ignition. Keep containers away from any incompatible materials, see section 10 for details.

7.3. Specific end use(s).

Information not available.

Revision nr. 1

DT40030/ DT40032/ DT40038 - OLIO DI SILICONE 50cps

Dated 24/6/2014 Printed on 25/06/2014

Page n. 4/8

SECTION 8. Exposure controls/personal protection.

8.1. Control parameters.

Information not available.

8.2. Exposure controls.

Comply with the safety measures usually applied when handling chemical substances.

HAND PROTECTION None required.

SKIN PROTECTION None required.

EYE PROTECTION None required.

RESPIRATORY PROTECTION None required, unless indicated otherwise in the chemical risk assessment.

SECTION 9. Physical and chemical properties.

9.1. Information on basic physical and chemical properties.

Appearance	liquid
Colour	colourless
Odour	odourless
Odour threshold.	Not available.
pH.	7
Melting point / freezing point.	-55 °C.
Initial boiling point.	Not available.
Boiling range.	Not available.
Flash point.	> 150 °C.
Evaporation Rate	Not available.
Flammability of solids and gases	Not available.
Lower inflammability limit.	Not available.
Upper inflammability limit.	Not available.
Lower explosive limit.	Not available.
Upper explosive limit.	Not available.
Vapour pressure.	Not available.
Vapour density	Not available.
Relative density.	0,960 Kg/l
Solubility	insoluble in water
Partition coefficient: n-octanol/water	Not available.
Auto-ignition temperature.	450 °C.
Decomposition temperature.	Not available.
Viscosity	50 mPa.s a 25°C
Explosive properties	Not available.
Oxidising properties	Not available.

9.2. Other information.

Molecular weight.

136,220

Revision nr. 1

DT40030/ DT40032/ DT40038 - OLIO DI SILICONE 50cps

Dated 24/6/2014

Printed on 25/06/2014 Page n. 5/8

SECTION 10. Stability and reactivity.

10.1. Reactivity.

There are no particular risks of reaction with other substances in normal conditions of use.

10.2. Chemical stability.

The product is stable in normal conditions of use and storage.

10.3. Possibility of hazardous reactions.

No hazardous reactions are foreseeable in normal conditions of use and storage.

10.4. Conditions to avoid.

None in particular. However the usual precautions used for chemical products should be respected.

10.5. Incompatible materials.

Information not available.

10.6. Hazardous decomposition products.

Measurements have shown the formation of small amounts of formaldehyde at temperatures above about 150 °C (302 °F) through oxidation.

SECTION 11. Toxicological information.

According to currently available data, this product has not yet produced health damages. Anyway, it must be handled according to good industrial practices.

11.1. Information on toxicological effects.

Acute toxicity: Oral: LD50: > 5000 mg/kg (rat, literature, SDS supplier). Dermal: LD50: > 2008 mg/kg (rat, SDS supplier). Inhalation: No data available.

Irritation/Corrosion Skin irritation: Not irritating (rabbit, SDS supplier). Eye irritation: Not irritating (rabbit, SDS supplier).

Respiratory or skin Sensitization: Not sensitising (Magnusson-Kligmann, OECD 406, SDS supplier).

STOT – Repeated exposure: no data available.

Genotoxicity in vivo: Negative (mutation assay, OECD 471, SDS supplier). Carcinogenicity: No data available. Toxicity to reproduction: No data available.

Aspiration toxicity: No data available.

SECTION 12. Ecological information.

Use this product according to good working practices. Avoid littering. Inform the competent authorities, should the product reach waterways or sewers or contaminate soil or vegetation.

12.1. Toxicity.

DT40030/ DT40032/ DT40038 - OLIO DI SILICONE 50cps

Zhermack S.p.a

Revision nr. 1 Dated 24/6/2014

Printed on 25/06/2014

Page n. 6/8

Information not available.

12.2. Persistence and degradability.

Information not available.

12.3. Bioaccumulative potential.

Information not available.

12.4. Mobility in soil.

Information not available.

12.5. Results of PBT and vPvB assessment.

On the basis of available data, the product does not contain any PBT or vPvB in percentage greater than 0,1%.

12.6. Other adverse effects.

Information not available.

SECTION 13. Disposal considerations.

13.1. Waste treatment methods.

Reuse, when possible. Neat product residues should be considered special non-hazardous waste. Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations. Avoid littering. Do not contaminate soil, sewers and waterways. CONTAMINATED PACKAGING

Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.

SECTION 14. Transport information.

The product is not dangerous under current provisions of the Code of International Carriage of Dangerous Goods by Road (ADR) and by Rail (RID), of the International Maritime Dangerous Goods Code (IMDG), and of the International Air Transport Association (IATA) regulations.

SECTION 15. Regulatory information.

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture.

Seveso category.

None.

Restrictions relating to the product or contained substances pursuant to Annex XVII to EC Regulation 1907/2006.

None.

Substances in Candidate List (Art. 59 REACH).

None.

Substances subject to authorisarion (Annex XIV REACH).

Revision nr. 1

DT40030/ DT40032/ DT40038 - OLIO DI SILICONE 50cps

Dated 24/6/2014

Printed on 25/06/2014 Page n. 7/8

None.

Substances subject to exportation reporting pursuant to (EC) Reg. 649/2012:

None.

Substances subject to the Rotterdam Convention:

None.

Substances subject to the Stockholm Convention:

None.

Healthcare controls.

Information not available.

15.2. Chemical safety assessment.

No chemical safety assessment has been processed for the mixture and the substances it contains.

SECTION 16. Other information.

LEGEND:

- ADR: European Agreement concerning the carriage of Dangerous goods by Road
- CAS NUMBER: Chemical Abstract Service Number
- CE50: Effective concentration (required to induce a 50% effect)
- CE NUMBER: Identifier in ESIS (European archive of existing substances)
- CLP: EC Regulation 1272/2008
- DNEL: Derived No Effect Level
- EmS: Emergency Schedule
- GHS: Globally Harmonized System of classification and labeling of chemicals
- IATA DGR: International Air Transport Association Dangerous Goods Regulation
- IC50: Immobilization Concentration 50%
- IMDG: International Maritime Code for dangerous goods
- IMO: International Maritime Organization
- INDEX NUMBER: Identifier in Annex VI of CLP
- LC50: Lethal Concentration 50%
- LD50: Lethal dose 50%
- OEL: Occupational Exposure Level
- PBT: Persistent bioaccumulative and toxic as REACH Regulation
- PEC: Predicted environmental Concentration
- PEL: Predicted exposure level
- PNEC: Predicted no effect concentration
- REACH: EC Regulation 1907/2006
- RID: Regulation concerning the international transport of dangerous goods by train
- TLV: Threshold Limit Value
- TLV CEILING: Concentration that should not be exceeded during any time of occupational exposure.
- TWA STEL: Short-term exposure limit
- TWA: Time-weighted average exposure limit
- VOC: Volatile organic Compounds
- vPvB: Very Persistent and very Bioaccumulative as for REACH Regulation.

GENERAL BIBLIOGRAPHY

- 1. Directive 1999/45/EC and following amendments
- 2. Directive 67/548/EEC and following amendments and adjustments
- 3. Regulation (EC) 1907/2006 (REACH) of the European Parliament

Revision nr. 1

Dated 24/6/2014

DT40030/ DT40032/ DT40038 - OLIO DI SILICONE 50cps

Printed on 25/06/2014

Page n. 8/8

- 4. Regulation (EC) 1272/2008 (CLP) of the European Parliament
- 5. Regulation (EC) 790/2009 (I Atp. CLP) of the European Parliament
- Regulation (EC) / 50/2009 (FAID, CLP) of the European Parliament
 Regulation (EC) 453/2010 of the European Parliament
 Regulation (EC) 286/2011 (II Atp. CLP) of the European Parliament
 Regulation (EC) 618/2012 (III Atp. CLP) of the European Parliament

- The Merck Index. 10th Edition
 Handling Chemical Safety
 Niosh Registry of Toxic Effects of Chemical Substances
- 12. INRS Fiche Toxicologique (toxicological sheet)
- 13. Patty Industrial Hygiene and Toxicology
- 14. N.I. Sax Dangerous properties of Industrial Materials-7, 1989 Edition
- 15. ECHA website
- Note for users:

The information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the suitability and thoroughness of provided information according to each specific use of the product.

This document must not be regarded as a guarantee on any specific product property.

The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and safety laws and regulations. The producer is relieved from any liability arising from improper uses.

Provide appointed staff with adequate training on how to use chemical products.